### 2017 Consumer Confidence Report

Water System Name: Desert Lake Community Services District Report Date: May 31, 2018

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.

We are pleased to provide you with this report, and want to keep you informed about the water and services we have delivered to you over the past year. Our Goal is, and always has been, to provide you with a safe and dependable supply of drinking water. We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 through December 31, 2017.

The water sources connected to the District's system are inactive Well No. 1, standby Well No. 2, and purchased surface water from Antelope Valley East Kern Water Agency (AVEK.) Well No. 2 is located east of Borax Road and is 2½ miles South of Rio Tinto Minerals. Well No. 1 is located one block north of 20 Mule Team Road and one block east of Borax Road. Since January 2012, the District's main source of water is and has been purchased surface water from AVEK. Hence, the reason the District has also included AVEK's 2017 Consumer Confidence Report for your review within this mailing.

If you have any questions about this report or concerns about the District's utility system, please contact the General Manager, Natalie Dadey, at 661-363-3350 or the District Secretary, DeAnna Love, at 760-762-5349, Tuesday through Thursday, 9:00 a.m. to 5:00 p.m. The office is closed for lunch between 12:00 p.m. and 1:00 p.m. Our regularly scheduled monthly board meetings are held the third Monday of each month at the district office board room located at 12200 Del Oro Street in Desert Lake at 5:00 p.m.

### TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

**Public Health Goal (PHG)**: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Primary Drinking Water Standards (PDWS):** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (µg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring

minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.

• Radioactive contaminants that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

The following tables list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

\*Any violation of an MC or AL is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 1 – MONTHLY BACTERIOLOGICAL ANALYSIS REQUIRES 1 TEST PER MONTH FOR COLIFORM BACTERIA. TEST RESULTS WERE NEGATIVE FOR COLIFORM BACTERIA IN THE DISTRIBUTION SYSTEM.

TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER: IF PRESENT, ELEVATED LEVELS OF LEAD CAN CAUSE SERIOUSHEALTH PROBLEMS, ESPECIALLY FOR PREGNANT WOMEN AND YOUNG CHILDREN. LEAD IN DRINKING WATER IS PRIMARILY FROM MATERIALS AND COMPONENTS ASSOCIATED WITH SERVICE LINES AND HOMEPLUMBING. WHEN YOUR WATER HAS BEEN SITTING FOR SEVERAL HOURS, YOU CAN MINIMIZE POTENTIAL FOR LEAD EXPOSURE BY FLUSHING YOU TAP FOR 30 SECONDS TO 2 MINUTES BEFORE USING WATER FOR DRINKING OR COOKING. IF YOU ARE CONCERNED ABOUT LEAD IN YOUR WATER, YOU MAY WISH TO HAVE YOUR WATER TESTED. ADDITIONAL INFORMATION IS AVAILABLE FROM THE SAFE DRINKING WATER HOTLINE AT (800) 426-4791.

Lead and Copper (complete if lead or copper detected in the last sample set)	No. of samples collected	90 <sup>th</sup> percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)	20	ND	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	20	.079	0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

### TABLE 3 – MONTHLY BACTERIOLOGICAL TESTING REQUIRES CHLORINE TESTING TO BE CONDUCTED AT THE SAME TIME WITHIN THE DISTRIBUTION SYSTEM. THE CHLORINE RESULTS ARE AS FOLLOWS:

Chemical or Constituent		Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
(and reporting units)	Date			[4]	[4]	Water additive to control microbes
Chlorine (ppm)	2017	3.15	2.1 - 4.2	[4]	[4]	Water additive to control

TABLE 4 – DISINFECTION BY-PRODUCTS: SAMPLING FOR DISINFECTION BY-PRODUCTS, INCLUDING TOTAL TRIHALOMETHANES (TTHM) AND HALOACETIC ACIDS (HAA5), WERE CONDUCTED AS REQUIRED FOR 2017. DESERT LAKE CSD DOES NOT CHLORINATE THE DRINKING WATER; HOWEVER, AVEK DOES. THESE BY-PRODUCTS ARE A RESULT OF DRINKING WATER CHLORINATION.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	Typical Source of Contaminant
Total Trihalomethanes (ppb)	6/2017	8.3	8.3	80	By-product of drinking water chlorination
Total Haloacetic Acids (ppb)	6/2017	ND	ND	60	By-product of drinking water chlorination

### Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Under the Safe Drinking Water Act (SDWA), the United States Environmental Protection Agency (USEPA) is responsible for setting national limits for hundreds of substances in drinking water and also specifies various treatments that water systems must use to remove these substances. Each system continually monitors for these substances and reports their findings to the USEPA. The USEPA uses this data to ensure that consumers are receiving clean water.

This publication conforms to the regulation under SDWA requiring water utilities to provide detailed water information to each of their customers annually. We are committed to providing you with this information about your water supply because customers who are well informed are our best allies in supporting improvements necessary to maintain the highest water standards.

### 2017 Annual Water Quality Report - Kern County System Antelope Valley-East Kern Water Agency

The Antelope Valley-East Kern Water Agency provides treated surface water and treated groundwater as our sources of drinking water.

Treatment technique: Conventional EPA Turbidity of the filtered water must: EPA Turbidity Performance Standards: Turbidity of the filtered water must:

1. Be less than or equal to 0.30 NTU in 95% of measurements in a month.

Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1:

N/A

Percentage of samples < 0.30 NTU:

N/A

Not exceed 1 NTU at any time.

N/A

N/A

The number of violations of any surface water treatment requirements:

Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are

considered to be in compliance with filtration requirements.

EPA Groundwater Rule: AVEK meets the requirements of the Groundwater Rule by providing a minimum of 4-log reduction of viruses by continously providing a minimum free chlorine residual of 0.5 The Antelope Valley-East Kern Water Agency also provides chlorinated groundwater as an alternative source of drinking water.

mg/L leaving the clearwell. Number of violations of the Groundwater Rule: Lowest single free chlorine residual measurement during the year:
Number of violations of the Groundwater Rule:
NONE

Type of Sample(s) Distribution System Raw Influent *Cryptosporidium	
Type of Parameter Sampling MCL No. of Months in Violation Range Avera  Sample(s) Parameter Erequency 56 - 70 / mo 5 with 2 TC pos. None 0% 0% System Results 1 Colliform Bacteria 56 - 70 / mo 1 pos. with 2 TC pos. None 0% 0% 0% N/A* N/A* N/A* N/A* N/A* N/A* N/A* N/A*	
Sampling Frequency 56 - 70 / mo 56 - 70 / mo 0 / mo 0 / mo Rosamond treatment plant influ	
MCL No. c 5% positive 1 pos. with 2 TC pos. N/A* tent in accordance with the EF	MICROBIOLOGICAL CONTAMINANTS
MCL No. of Months in Violation Range % positive None 0% 1 2 TC pos. None 0% 1 N/A* N/A* lance with the EPA's LT2 Enhanced Surface Want will be necessary.	
72 <b>6</b> 8	
ule. This monitoring aims to	

assess the risk of cryptosporidium in our raw water supply and determine if additional treatment will be necessary. \$00

G,	Selenium µ9/L Thallium µ9/L		(as N)		as N)	Nickel ug/L				valent)	m (Total)	ח	ā					Parameter Units			
*There is currently no MCL for hexavalent chromium. The previous MCL of 0.010 mg/L was withdrawn on St	2 1	6	10	1 0.4	10 0.4	100 10	2 1		150 100			5	4	1 0.1	10 2	6		MCL DLR			
avalent chromiun	0.1	3 -	. 10	; -	. 10	12	1.2	; <u> </u>	061	0.02	3	0.04	2 -	· N	0.004	)	0.6	PHG		_	INORGA
n. The previous MCL of 0																		Range Average	Plant Effluent (CWR)	Rosamond Plant	NORGANIC CONTAMINANTO
.010 mg/L was withdrawn o											Sec. 13.							Range	nfluent (	nd Plant	RESULT
on September 11, 2017.																3.3-4.9		Naligie	ent (		<u>S117</u>
, 2017.																		ND	9	Water Bank	
	ND	ND	B	0.22-7.0	N	0.22-7.0	ND-6.9	ND	0.11-0.38	ND	2.3-5.4	2.2-6.0	ND	ND	0.018-0.120	ND-17	ND	ND-0.032	Range	Dank Wells	-
	8 8 —	ND	ND	3.5	ND	4.3	<u>-</u>	S	0.22	Z	3.7	4.1	N	Z	0.060	4.4	ND	0.009	Average	n	_

### Antelope Valley-East Kern Water Agency 2017 Annual Water Quality Report - Kern County System

Parameter 1,1,1-Trichlorethane (1,1,1-TCA) 1,1,2-Tetrachloroethane 1,1,2-Trichloroethane (1,1,2-TCA) 1,1-Dichloroethane (1,1-DCA) 1,1-Dichloroethylene (1,1-DCE) 1,2-Trichlorobenzene 1,2-Dichlorobenzene (o-DCB)	Gross Alpha Gross Beta Strontium 90 Tritium Uranium Radium 228 Radium 226	Parameter	Parameter Aluminum Calcium Chloride Colorer Copper Foaming Agents (MBAS) Hardness (Total) as CaCO3 Iron Magnesium Manganese Odor @ 60 C pH Silver Sodium Specific Conductance Sulfate Thiobencarb (Bolero) Methyl tert-Butyl Ether (MTBE) Total Dissolved Solids Turbidity Zinc Total Alkalinity (as CaCO3) Bicarbonate Alkalinity(as HCO3) Carbonate (as CO3) Hydroxide (as CO4)
таул нд/г нд/г нд/г нд/г нд/г нд/г	DCN/L DCN/L DCN/L DCN/L	<u>Units</u>	Units  Hg/L
MCL 200 5 5 600	15 50 8 20,000 20	<u>MCL</u>	MCL 200 no standard 250 15 1000 0.5 no standard 300 no standard 100 no standard
VOLATILE 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	1,000 1	DLR.	DLR 50 100 20 1 10 0.5 3
VOLATILE ORGANIC CONTAMINANTS    Rosamone   Raw Influent	0.35 400 0.43 0.019 0.05	RADIOLOGICAL CON AMILIANI S  Rosami  DLR PHG Raw Influe  Range	GENERAL PHYSICAL AND SECONDARY STANDARDS  ROSAMONIA DLR ROSAMONIA Plant Effluent (CWR) Rosamond Plant Plant Effluent (CWR) Range Average Range Standard  250 15 1000 0.5 0.5 0.5 0.5 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0.5 100 0
Rosama Rosama Raw Influe Range		Rosamo Raw Influe Range	DARY STANDARD Rosamond Plant (CWR) Raw II Average Rang
TAMINANTS  RESULTS  Rosamond Plant  Raw Influent (Sources)  Range Average Range Average		RESULTS Results Rosamond Plant Raw Influent Sources Range Average R	IDARDS RESULTS d Plant Raw Influent (Sources) Range Average
ZZZZZZ	ND-6.6 ND-3.9 ND-3.9 ND-9.3	<u>a</u>	Sources) Average
Water Bank Wells Wells D Average ND	NN 3.5 D D 1.6	Water Bank Wells <u>Average</u>	Effluent (CWR) Range Avers Range Avers NC 56 58 7.3-8.0 7.5 NC 17
			Water Bank CWR)  Average ND 56 ND 170
			Bank Wells Range // Range // ND-32 30-110 9,6-130 <-5 ND-3.1 ND 80-350 ND-110 1.2-18 ND-4.2 <-1 7.3-8.1 ND 34-67 330-1000 44-76 ND ND ND 220-600 0.02-0.94 ND 96-230 120-280 ND ND ND ND ND ND ND 220-600 0.02-0.94 ND
			Average 9.2 9.3 66 66 66 67 7.63 ND

# Antelope Valley-East Kern Water Agency 2017 Annual Water Quality Report - Kern County System

Parameter Alachlor Atrazine Bentazon Benzo(a)pyrene Carbofuran Chlordane 2,4-D Dalapon Dibromochloropropane (DBCP) Di(2-ethylhexyl)phthalate Di(2-ethylhexyl)phthalate Diquat Endothall Endrin Ethylene Dibromide (EDB) Glyphosate Heptachlor Epoxide Hexachlorobenzene Hexachlorocyclopentadiene Lindane Methoxychlor Molinate Oxamyl Pentachlorophenol Picloram	Parameter 1,2-Dichloroethane (1,2-DCA) 1,2-Dichloropropene (Total) 1,4-Dichloropropene (Total) 1,4-Dichlorobenzene (p-DCB) Benzene Carbon tetrachloride cis-1,2-Dichloroethylene (c-1,2-DCE) cis-1,3-Dichloropropene Dichloromethane (Methylene Chloride) Ethylbenzene Methyl-tert-butyl ether (MTBE) Monochlorobenzene (Chlorobenzene) Styrene Tetrachloroethylene (PCE) Toluene trans-1,2-Dichloroethylene (t-1,2-DCE) trans-1,3-Dichloropropene Trichlorofturomethane (Freon11) Trichlorofturomethane (Freon11) Trichlorotiflurorethane (Freon113) Vinyl Chloride (VC) Xylenes (Total)
#9/\ #9/\ #9/\ #9/\ #9/\ #9/\ #9/\ #9/\	#8/L #8/L #8/L #8/L #8/L #8/L #8/L #8/L
MCL 18 18 18 0.2 10 20 0.2 40 10 10 10 10 10 10 10 10 10 1	MCL 0.5 5 0.5 5 0.5 6 6 6 6 10 10 10 10 10 10 10 10 10 10 10 10 10
SYNTHE  DLR (DL)  1  0.5  2  0.1 10 10 10 10 10 0.01 45 45 45 0.01 0.02 25 0.01 0.05 1 0.05 1 0.05 1 0.05 1 0.05 1 0.07 0.07 0.07 0.07 0.07 0.07 0.07 0.	0.55 0.55 0.55 0.55 0.55 0.55 0.55 0.55
PHG 4 0.15 200 0.007 0.7 0.03 20 0.0017 200 11 4 6 6 6 94 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.	PHG 0.4 0.5 0.2 6 0.15 0.17 100 4 4 300 13 70 0.5 0.6 0.1 13 0.7 13 0.6 15 0.0 6 0.0 5
SYNTHETIC ORGANIC CHEMICALS   RES   Rew Influent (Sources)   Range   Average   Avera	Rosamond Plant Raw Influent (Sources) Range Average
RESULTS  Water B.  Range ND	Water Bank Wells Range Ave ND
Water Bank Wells Ange Average ND N	Bank Average ND
93339 11153 11153 11153 11153	

### 2017 Annual Water Quality Report - Kern County System Antelope Valley-East Kern Water Agency

			Na	Annual Averages.	Running Annu	e based upon	ne MCLs an	** Running Annual Average of distribution system samples. The MCLs are based upon Kunning Annual Averages.	** Running Annual	
	2.9	,I		5		10,	µg/L	Bromate	Treated Water B	
	N =	Z				60**	µg/L	Stage 2 D/DBP Rule Total Haloacetic Acids	Distribution St	
	, o	2.7-7.2				80**	µg/L	Stage 2 D/DBP Rule Total Trihalomethanes	Distribution St	
	) 7   E	1 1		0.3	realment Requirement	Treatment H	mg/L	Total Organic Carbon (TOC)	Source Water To	
	ı	ı		0.3	reatment Requirement	Treatment F	mg/L	Total Organic Carbon (TOC)	Treated Water To	
	7.16	0.13-1.79	4	)		4.0**	mg/L	Chlorine (as total Cl2)	Distribution C	
1	Average	Range	MINUTE	בא		MCLMKUL	Units	Parameter	Sample(s)	
	ILTS	RESULTS	N CON	2				THE THE PARTY AND VALUE OF SHEET OF SHEET AND	Type of	
			DISINFFCTION RESIDUAL PRECURSORS and BYPRODUCTS	RSORS, and	UAL PRECU	TION RESID	DISINFF		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
_	Z	Z		31 <del>1.101</del>	ú	_	50	μg/L	2,4,5-TP (Silvex)	
	5 6	2 6			0.00	· O	30		2,3,7,8-TCDD (Dioxin	
	2 :				0.00	n –	3 0		Loxaphene	
	S	S			0 03		ِ د		Tillopoliodia (poiolo	
	N	ND			42		70		Thiobencarh (Bolero)	
	Z	N			4	_	4		Simazine	
	Z	Z			0.09	0.5	0.5	nyls µg/L	Polychlorinated Biphenyls	
	Average	Range	Average	Range	PHG	DLR (DL)	MCL	Units	Parameter	
	nk Wells	Water Bank Wells	Raw Influent (Sources)	Raw Influe						

Stage 2 D/DBP Rule Total THMs and Total HAAs compliance is based upon Locational Running Annual Averages. # Location with the highest TTHM average

## DEFINITIONS and FOOTNOTES:

Plant Effluent, CWR, is finished, treated drinking water.

Raw Water is the Source Water, the California Aqueduct or wells, prior to treatment

Units: mg/L = milligrams per liter, parts per million (ppm)

µg/L = micrograms per liter, parts per billion (ppb)

pg/L = picograms per liter, parts per quadrillion (ppq)

µmhos = micromhos, a measure of specific conductance

MFL = million fibers per liter

pCi/L = pico Curies per liter

> = greater than

< = less than

ND = none detected above the DLR

NTU = nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just

noticeable to the average person.

MCL: Maximum Contaminant Level. The highest level of a contaminant that is allowed in drinking water. MCLs are set by the US Environmental Protection Agency or the State Water Resources Control Board as close to the PHGs and MCLGs

as is economically or technologically feasible.

MRDL: Maximum Residual Disinfectant Level. The level of a disinfectant added for water treatment that may not be

be exceeded at the consumer's tap.

DLR: Detection Limit for purposes of Reporting.

(DL): Detection limit determined by the Laboratory when no DLR has been established

MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health MCLGs are set by the U.S. Environmental Protection Agency.

MRDLG: Maximum Residual Disinfectant Level Goal. The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the US Environmental Protection Agency.

PHG: Public Health Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Office of Environmental Health Hazard Assessment.

Primary Drinking Water Standard: Primary MCLs, specific treatment techniques adopted in lieu of primary

MCLs, and monitoring and reporting requirements for MCLs that are specified in regulations.

Secondary Standards: Aesthetic standards established by the State Water Resources Control Board.

AL: Action Level. There is no MCL, if this level is exceeded, action is required by the State Water Resources Control Board.

All analyses performed by ELAP certified laboratories: AVEK Water Agency, Eurofins Eaton Analytical Laboratories, or Eurofins subcontract lab.

<sup>\*</sup> Compliance is based on the running annual average computed quarterly, of monthly samples, collected at the entrance to the distribution system.